# WAQTC QAC COMMITTEE 2019 WINTER MEETING MINUTES

ATENDEES:       ABSENT:         SEAN PARKER, ODOT, GILBERT ARREDONDO, CHAIR       UDOT       BRIAN IKEHARA, HDOT         MISTY MINER, MDOT, MEGAN CHATFIELD, VICE CHAIR       WFL-FHWA       BRIAN IKEHARA, HDOT         DAN GETTMAN, DAVID MARIMAN, WFL- AKDOT & PF       FHWA       HMA         CHRISTOPHER P.       SONYA PUTERBAUGH, RUSSELL, CDOT       AASHTO RE:SOURCE         KEVIN BURNS, WSDOT       MEETING ITEMS:         REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE       1. Revisions to Embankment/Base and In-Place Density Test Methods         a.       T 265, Moisture Content of 50il       b. T 99, Moisture/Density Relations <ul> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>I</sub> and W, in T 310 it is d and T 121 it is D</li> <li>c. T 180, Moisture/Density Relations                 <ul></ul></li></ul>	CHAIR: SEAN PARKER, ODOT Recorder: Desna Bergold, D B Consulting	DATE: JAN. 28 <sup>1H</sup> THROUGH FEB. 1 <sup>ST</sup> TIME: 1:00 TO 5:00 PM MON, 8:00 AM TO 5:00 PM TUES. THRU THUR., 8:00 AM TO 12:00 NOON FRI LOCATION: VIRGINIA BOARDROOM, ELDORADO, RENO, NV
SEAN PARKER, ODOT, CHARGILBERT ARREDONDO, UDOTBRIAN İKEHARA, HDOTMISTY MINER, MDOT, MEGAN CHATFIELD, VICE CHAIRWFL-FHWAMIKE COPELAND, ITDDAN GETIMAN, AKDOT & PFDAVID MARIMAN, WFL- FHWAMKE COPELAND, ITDAKDOT & PFFHWARUSSELL, CDOTAASHTO RE:SOURCEKEVIN BURNS, WSDOTMEETING ITEMS: REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE1. Revisions to Embankment/Base and In-Place Density Test Methods a. T 265, Moisture Content of Soil b. T 99, Moisture/Density Relations i. Status of 2016 proposal ii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c. T 180, Moisture/Density Relations i. Status of 2016 proposal ii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ d. R 75, Developing a Family of Curves e. T 272, One-Point Method i. Status of 2017 proposal f. T 355 In-place Density and Moisture Content of Soil-Aggregate h. T 355 In-place Density of Asphalt i. Status of 2017 proposal fi. Figures are fuzzy – Desna2. Revisions to Concrete AASHTO Test Methods a. R 60, Sampling Concrete b. T 309, Temperature i. Status of 2017 proposal d. T 119, Slump i. Status of 2017 proposal d. T 121, Density e. T 112, Air Content i. Status of 2017 proposal	ATTENDEES:	ABSENT:
CHAR       UDO1       MIKE COPELAND, ITD         MISTY MINER, MDOT,       MEGAN CHATFIELD,       WIKE COPELAND, ITD         VICE CHAR       WFL-FHWA         DAN GETTMAN,       DAVID MARIMAN, WFL-         AKDOT & PF       FHWA         CHRISTOPHER P.       SONYA PUTERBAUGH,         RUSSELL, CDOT       AASHTO RE:SOURCE         KEVIN BURNS, WSDOT       MEETING ITEMS:         REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE         1. Revisions to Embankment/Base and In-Place Density Test Methods         a. T 265, Moisture/Density Relations         i. Status of 2016 proposal         ii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c. T 180, Moisture/Density Relations         i. Status of 2016 proposal         ii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c. T 180, Moisture/Density Relations         i. Status of 2017 proposal         f. T 85, Gsb         g. T 310, In-place Density and Moisture Content of Soil-Aggregate         h. T 355 In-place Density of Asphalt         i. Status of 2017 proposal         ii. Figures are fuzzy – Desna         2. Revisions to Concrete AASHTO Test Methods         a. R 60, Sampling Concrete         b. T	SEAN PARKER, ODOT, GILBERT ARREDONDO,	BRIAN IKEHARA, HDOT
MISTY MINER, MIDOLT,MISGAN CHATTFIELD, WICE CHAIRVICE CHAIRWFL-FHWADAN GETTMAN,DAVID MARIMAN, WFL- AKDOT & PFAKDOT & PFFHWACHRISTOPHER P.SONYA PUTERBAUGH, RUSSELL, CDOTRUSSELL, CDOTAASHTO RE:SOURCEKEVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE1.Revisions to Embankment/Base and In-Place Density Test Methods a. T 265, Moisture/Density Relations i. Status of 2016 proposal ii. Density symbol in calculations – $W_I$ and $W$ , in T 310 it is $d$ and T 121 it is $D$ c. T 180, Moisture/Density Relations i. Status of 2016 proposal ii. Density symbol in calculations – $W_I$ and $W$ , in T 310 it is $d$ and T 121 it is $D$ d. R 75, Developing a Family of Curves e. T 272, One-Point Method i. Status of 2017 proposal f. T 85, Gab g. T 310, In-place Density of Asphalt i. Status of 2017 proposal ii. Figures are fuzzy – Desna2.Revisions to Concrete AASHTO Test Methods a. R 60, Sampling Concrete b. T 309, Temperature i. 8.4.1, large size aggregate – Desna2.T 119, Slump i. Status of 2017 proposal d. T 121, Density4.T 121, Density5.Status of 2017 proposal d. T 112, Density6.T 190, Temperature i. Status of 2017 proposal d. T 111, Density7.Status of 2017 proposal d. T 121, Density8.T 121, Density9.Status of 2017 proposal9.Status of 2017 proposal d. T 121, Density9.Status of 2017 proposal d. T 121, Density9.Status of 2017 proposal d. T 121, Density9.Status of 2017 proposal d.	CHAIR UDOT	MIKE COPELAND, ITD
DAN GETTMAN, DAVID MARIMAN, WFL- AKDOT & PF FHWA CHRISTOPHER P. SONYA PUTERBAUGH, RUSSELL, CDOT AASHTO RE:SOURCE KEVIN BURNS, WSDOT <b>MEETING ITEMS:</b> REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE 1. Revisions to Embankment/Base and In-Place Density Test Methods a. T 265, Moisture Content of Soil b. T 99, Moisture/Density Relations i. Status of 2016 proposal ii. Density symbol in calculations – $W_I$ and $W$ , in T 310 it is $d$ and T 121 it is $D$ c. T 180, Moisture/Density Relations i. Status of 2016 proposal ii. Density symbol in calculations – $W_I$ and $W$ , in T 310 it is $d$ and T 121 it is $D$ d. R 75, Developing a Family of Curves e. T 272, One-Point Method i. Status of 2017 proposal f. T 85, Gsb g. T 310, In-place Density and Moisture Content of Soil-Aggregate h. T 355 In-place Density of Asphalt i. Status of 2017 proposal ii. Figures are fuzzy – Desna 2. Revisions to Concrete AASHTO Test Methods a. R 60, Sampling Concrete b. T 309, Temperature i. 8.4.1, large size aggregate – Desna c. T 119, Slump i. Status of 2017 proposal d. T 121, Density e. T 152, Air Content j. Status of 2017 proposal d. T 121, Density e. T 152, Air Content j. Status of 2017 proposal d. T 121, Density e. T 152, Air Content j. Status of 2018 proposal d. T 121, Density e. T 152, Air Content j. Status of 2018 proposal d. T 121, Density e. T 152, Air Content j. Status of 2018 proposal j.	VICE CHAIR WFL-FHWA	
CHRISTOPHER P. SONYA PUTERBAUGH, RUSSELL, CDOT AASHTO RE:SOURCE KEVIN BURNS, WSDOT <b>MEETING ITEMS:</b> REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE 1. Revisions to Embankment/Base and In-Place Density Test Methods a. T 265, Moisture Content of Soil b. T 99, Moisture/Density Relations i. Status of 2016 proposal ii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c. T 180, Moisture/Density Relations i. Status of 2016 proposal iii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c. T 180, Moisture/Density Relations i. Status of 2016 proposal iii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ d. R 75, Developing a Family of Curves e. T 272, One-Point Method i. Status of 2017 proposal f. T 85, G <sub>4b</sub> g. T 310, In-place Density and Moisture Content of Soil-Aggregate h. T 355 In-place Density of Asphalt i. Status of 2017 proposal ii. Figures are fuzzy – Desna 2. Revisions to Concrete AASHTO Test Methods a. R 60, Sampling Concrete b. T 309, Temperature i. 8.4.1, large size aggregate – Desna c. T 119, Slump i. Status of 2017 proposal d. T 121, Density e. T 152, Air Content j. Status of 2018 proposal	DAN GETTMAN, DAVID MARIMAN, WFL- AKDOT & PF FHWA	
RUSSELL, CDOT       AASHTO RE:SOURCE         KEVIN BURNS, WSDOT       MEETING ITEMS:         REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE       1. Revisions to Embankment/Base and In-Place Density Test Methods         a.       T 265, Moisture Content of Soil       b. T 99, Moisture/Density Relations         i.       Status of 2016 proposal       ii. Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c.       T 180, Moisture/Density Relations       i. Status of 2016 proposal         ii.       Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c.       T 180, Moisture/Density Relations         i.       Status of 2016 proposal         ii.       Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ c.       T 180, Moisture/Density Relations         ii.       Density symbol in calculations – $W_I$ and $W_i$ in T 310 it is $d$ and T 121 it is $D$ d.       R 75, Developing a Family of Curves         e.       T 272, One-Point Method         i.       Status of 2017 proposal         f.       T 85, G_{sb}         g.       T 310, In-place Density of Asphalt         i.       Status of 2017 proposal         ii.       Figures are fuzzy – Desna <td< td=""><td>CHRISTOPHER P. SONYA PUTERBAUGH.</td><td></td></td<>	CHRISTOPHER P. SONYA PUTERBAUGH.	
<ul> <li>KEVIN BURNS, WSDOT</li> <li>MEETING ITEMS:</li> <li>REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE</li> <li>1. Revisions to Embankment/Base and In-Place Density Test Methods <ul> <li>a. T 265, Moisture Content of Soil</li> <li>b. T 99, Moisture/Density Relations</li> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>I</sub> and W, in T 310 it is d and T 121 it is D</li> <li>c. T 180, Moisture/Density Relations</li> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>I</sub> and W, in T 310 it is d and T 121 it is D</li> <li>c. T 180, Moisture/Density Relations</li> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>I</sub> and W, in T 310 it is d and T 121 it is D</li> <li>d. R 75, Developing a Family of Curves</li> <li>e. T 272, One-Point Method</li> <li>i. Status of 2017 proposal</li> <li>f. T 85, G<sub>8</sub>b</li> <li>g. T 310, In-place Density and Moisture Content of Soil-Aggregate</li> <li>h. T 355 In-place Density of Asphalt</li> <li>i. Status of 2017 proposal</li> <li>ii. Figures are fuzzy – Desna</li> </ul> </li> <li>2. Revisions to Concrete AASHTO Test Methods <ul> <li>a. R 60, Sampling Concrete</li> <li>b. T 309, Temperature</li> <li>i. 8.4.1, large size aggregate – Desna</li> <li>c. T 119, Slump</li> <li>i. Status of 2017 proposal</li> <li>d. T 121, Density</li> <li>e. T 152, Air Content</li> <li>i. Status of 2018 proposal</li> </ul> </li> </ul>	RUSSELL, CDOT AASHTO RE:SOURCE	
<ul> <li>MEETING ITEMS:</li> <li>REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE</li> <li>1. Revisions to Embankment/Base and In-Place Density Test Methods <ul> <li>a. T 265, Moisture Content of Soil</li> <li>b. T 99, Moisture/Density Relations</li> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W1 and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>c. T 180, Moisture/Density Relations <ul> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W1 and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>c. T 180, Moisture/Density Relations <ul> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W1 and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>d. R 75, Developing a Family of Curves</li> <li>e. T 272, One-Point Method <ul> <li>i. Status of 2017 proposal</li> </ul> </li> <li>f. T 85, Gsh</li> <li>g. T 310, In-place Density and Moisture Content of Soil-Aggregate</li> <li>h. T 355 In-place Density of Asphalt</li> <li>i. Status of 2017 proposal</li> <li>ii. Figures are fuzzy – Desna</li> </ul> <li>2. Revisions to Concrete AASHTO Test Methods <ul> <li>a. R 60, Sampling Concrete</li> <li>b. T 309, Temperature</li> <li>i. 8.4.1, large size aggregate – Desna</li> </ul> </li> <li>c. T 119, Slump <ul> <li>i. Status of 2017 proposal</li> </ul> </li>	KEVIN BURNS, WSDOT	
<ul> <li>MEETING ITEMS:</li> <li>REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE</li> <li>1. Revisions to Embankment/Base and In-Place Density Test Methods <ul> <li>a. T 265, Moisture Content of Soil</li> <li>b. T 99, Moisture/Density Relations</li> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>1</sub> and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>c. T 180, Moisture/Density Relations <ul> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>1</sub> and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>c. T 180, Moisture/Density Relations <ul> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>1</sub> and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>d. R 75, Developing a Family of Curves</li> <li>e. T 272, One-Point Method <ul> <li>i. Status of 2017 proposal</li> </ul> </li> <li>f. T 85, G<sub>sb</sub></li> <li>g. T 310, In-place Density and Moisture Content of Soil-Aggregate</li> <li>h. T 355 In-place Density of Asphalt <ul> <li>i. Status of 2017 proposal</li> <li>ii. Figures are fuzzy – Desna</li> </ul> </li> </ul> <li>2. Revisions to Concrete AASHTO Test Methods <ul> <li>a. R 60, Sampling Concrete</li> <li>b. T 309, Temperature <ul> <li>i. 8.4.1, large size aggregate – Desna</li> </ul> </li> <li>c. T 119, Slump <ul> <li>i. Status of 2017 proposal</li> <li>d. T 121, Density</li> </ul> </li> </ul> </li>		
<ul> <li>1. Status of 2017 proposal</li> <li>d. T 121, Density</li> <li>e. T 152, Air Content</li> <li>i. Status of 2018 proposal</li> </ul>	<ul> <li>MEETING ITEMS:</li> <li>REVIEWS OF AASHTO REVISIONS AND QAC PROPOSED REVISIONS FOR EACH PROCEDURE</li> <li>1. Revisions to Embankment/Base and In-Place Density Test Methods <ul> <li>a. T 265, Moisture Content of Soil</li> <li>b. T 99, Moisture/Density Relations</li> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>1</sub> and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>c. T 180, Moisture/Density Relations <ul> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>1</sub> and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>c. T 180, Moisture/Density Relations <ul> <li>i. Status of 2016 proposal</li> <li>ii. Density symbol in calculations – W<sub>1</sub> and W, in T 310 it is d and T 121 it is D</li> </ul> </li> <li>d. R 75, Developing a Family of Curves</li> <li>e. T 272, One-Point Method <ul> <li>i. Status of 2017 proposal</li> </ul> </li> <li>f. T 85, G<sub>sb</sub></li> <li>g. T 310, In-place Density and Moisture Content of Soil-Aggregate</li> <li>h. T 355 In-place Density of Asphalt <ul> <li>i. Status of 2017 proposal</li> <li>ii. Figures are fuzzy – Desna</li> </ul> </li> </ul> <li>2. Revisions to Concrete AASHTO Test Methods <ul> <li>a. R 60, Sampling Concrete</li> <li>b. T 309, Temperature <ul> <li>i. 8.4.1, large size aggregate – Desna</li> </ul> </li> </ul></li>	
e. T 152, Air Content i. Status of 2018 proposal	1. Status of 2017 proposal d. T 121. Density	
i. Status of 2018 proposal	e. T 152, Air Content	
	i. Status of 2018 proposal	

- f. T 23, Test Specimens
  - i. Status of 2018 proposal
- g. R 39, Making and Curing Concrete Test Specimens in the Lab
  - i. Status of 2018 proposal
- 3. Revisions to Aggregate AASHTO Test Methods
  - a. R 90, Sampling Aggregate Products
    - b. R 76, Reduction
    - c. T 255, Moisture Content of Aggregate
    - d. T 11, Washing
      - i. Status of 2015 proposal
    - e. T 27, Sieve Analysis
      - i. Status of 2018 proposal
    - f. T 335, Fractured Particles
    - g. T 176, Sand Equivalent
    - h. T 113, Lightweight Particles
      - i. Status of 2015 proposal
- 4. Revisions to Asphalt AASHTO Test Methods
  - a. T 168, Sampling HMA
    - i. Status of 2017 proposal
  - b. R 47, Reducing HMA
    - i. Status of 2018 proposal
    - ii. HMA to Asphalt Mixtures
  - c. T 329, Moisture Content
  - d. T 308, Asphalt Content
  - e. T 209, G<sub>mm</sub>
    - i. Status of 2014 proposal
  - f. T 166, G<sub>mb</sub>
  - g. R 66, Sampling Asphalt Material
  - h. T 30, Sieve Analysis
    - i. Status of 2018 proposal
  - i. T 312, Gyratory
  - j. R 35, Superpave Volumetric Design
- 5. Other AASHTO:
  - a. Constant Mass
    - i. Status of 2017 proposal
  - b. R 18, Quality Management Systems
    - i. Status of 2017 proposal
    - ii. Brian Johnson will be working on this, contribute through him (midyear webinar)
  - c. R 25, Technician Training and Qualification Programs
    - i. 2018 balloted revisions
    - ii. Status of the 2015 proposed revisions
  - d. R 89, Accreditation Bodies
    - i. New 2018 Standard Practice
  - e. T 344, Evaluation of SGC
    - i. Assignment from 2018 Winter meeting Kevin Burns
  - f. T 134, Moisture / Density Soils
    - i. Recommendations this was addressed at the 2018 COMP meeting
  - g. T 283, Lottman
    - $i. \ \ Redraft-recommendations-Desna$
  - h. Proposed revision presentations at the Annual meeting

i. T 240, Rolling Thin Film Oven Aging of Asphalt Binder – requested review of NCHRP report

#### WAQTC ITEMS

- 6. Administrative Manual
  - a. Administrative questions Chris
- 7. TM 15, Granular Materials Draft Randy
- 8. Operations Manual
- 9. TM 14, Asphalt Mixture Laboratory Prepared Test Specimens
- 10. AASHTO Copyright from Board August meeting Sean
- 11. SCC Module Workplan
- 12. FOP for AASHTO TP 118 summer meeting
- 13. Archiving historical documents Desna and Megan
- 14. Exams and ASTM requirements Desna and Sonya
- 15. Humphres Method next step Randy and Megan
- 16. Review of AASHTO methods to present to the Board
- 17. Report from Executive Board meetings Sean Parker
- 18. AASHTO COMP TS 'Friend'
- 19. Brochure Replace Quotes from Garth and Scott?
- 20. Other presentation platforms Misty and Desna summer meeting
- 21. PowerPoint recommendations from trainers summer meeting
- 22. PowerPoint review and revision assignments summer meeting
- a. Photos for Specific Gravity are dark Chris
- 23. Flat and Elongated TM Sean
- 24. Laboratory Test Methods Qualification propose as long-term goal?
- 25. WAQTC TM 13, Volumetric Properties of Hot Mix Asphalt (HMA) a. Change to Asphalt Mixtures?
- 26. Executive Board Spring meeting
- 27. Nominate a QAC representative to attend the AASHTO COMP annual meeting

Page 1		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

WELCOME	Sean Parker, ODOT and Qualification Advisory Committee (QAC) Chair, welcomed the committee members to Reno. He then asked everyone to introduce themselves. Megan Chatfield, WFL-FHWA, introduced David Mariman, WFL-FHWA, who will be replacing her on the QAC.	
EMBANKMENT/BA	ASE AND IN-PLACE DENSITY TEST METHODS	
T 265	AASHTO T 265; Laboratory Determination of Moisture Content of Soils	
	No proposed revisions to the AASHTO method.	
	AASHTO T 99, Moisture-Density Relations of Soils Using a 2.5- kg (5.5-lb) Rammer and a 305-mm (12-in.) Drop and T 180, Moisture-Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop	
	Status of previous proposals	
	WAQTC proposed revisions to T 99 and T 180 in 2016. These revisions are included in the 2018 AASHTO Standards.	
	In 2018, WAQTC assisted AASHTO re:source with revision proposals addressing the use of the extruder. These revisions were balloted on Rolling Ballot 3 with no negative votes.	
T 99 and T 180	Revision Discussion	
	While developing the calculations section for the Field Operating Procedure (FOP) for AASHTO T 272, Desna Bergold, D B Consulting and WAQTC Coordinator, searched AASHTO materials for a common variable for density. She found that T 272 did not use a variable, T 99 and T 180 use $W$ in the method and $D$ in the Annex, T 121 uses $D$ , and T 310 uses $d$ in the method. There may be other variations.	
	The committee agreed that it would be best to use the same variable when representing density of a material throughout the test methods.	

Page 2		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	A common variable in physics and engineering to denote density of material is $\rho$ (rho). This variable is used in T 355 and Annex A2 of T 310.	
T 99 AND	Revision proposal	
1 100	• Replace the variables $W$ and $D$ with $\rho$ to represent density in calculations.	
	<i>Revisions to T 99 and T 180 will be presented to the Executive Board for approval and submittal to AASHTO.</i>	Sean Parker
D 75	AASHTO R 75; Developing a Family of Curves	
K 75	No proposed revisions to the AASHTO method.	
	AASHTO T 272; One-Point Method for Determining Maximum Dry Density and Optimum Moisture	
T 272	Status of previous proposal	
1 272	WAQTC proposed revisions to this method in 2017. These revisions are included in the 2018 AASHTO Standards.	
	No new proposed revisions to the AASHTO method.	
т 95	T 85, Specific Gravity of Coarse Aggregate	
1 85	No proposed revisions to the AASHTO method.	
	T 310; In-Place Density and Moisture Content of Soil and Soil- Aggregate by Nuclear Methods (Shallow Depth)	
	Report on recent ballots	
T 310	Revisions to T 310 were balloted to the Committee on Materials and Pavement (COMP) on 2018 Rolling Ballot 3.	
	From ballot:	
	Deleted reporting calibration date in the reporting section to address concerns presented to AASHTO re:source. This does not change the calibration requirements.	

Page 3		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	There were no negative votes.	
	Revision Discussion	
	See revision discussion for T 99 and T 180.	
	Revision proposal	
T 310	• Replace the variable $d$ in the method with $\rho$ to represent density in calculations.	
	<i>Revisions to T 310 will be presented to the Executive Board for approval and submittal to AASHTO.</i>	Sean Parker
	T 355; In-place Density of Asphalt Mixtures by Nuclear Methods	
	Status of previous proposal	
Т 355	WAQTC proposed revisions to this method in 2017. These revisions are included in the 2018 AASHTO Standards.	
	No new proposed revisions to the AASHTO method.	
CONCRETE TEST	METHODS	
<b>D</b> (0	R 60; Sampling Freshly Mixed Concrete	
K 60	No proposed revisions to the AASHTO method.	
	T 309; Temperature of Freshly Mixed Hydraulic Cement Concrete	
	Revision discussion	
Т 309	Recently, confusion over the intent of Section 8.4.1 has resurfaced.	
	In Section 8.4, the test method requires the technician to complete the temperature measurement within 5 minutes of obtaining the sample. In Section 8.4.1, it states: 'Concrete containing aggregate of a nominal maximum size greater than 75 mm (3 in.) may require up to 20 minutes for the transfer of heat from the aggregate to the mortar after batching.' This statement has often	

Page 4		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	been interpreted as a contradiction to Section 8.4 by allowing up to 20 minutes to complete the temperature measurement. Another interpretation is that if the criteria in Section 8.4.1 are met, the temperature is to be taken in the forms at least 20 minutes after batching.	
T 309	The committee questioned the value of the statement as aggregate greater than 3 in. is rarely used in transportation construction and haul time to sample time is rarely less than 20 minutes.	
	Revision proposal	
	Remove confusing statement addressing large size aggregate with a recommendation that if 8.4.1 were to remain in place, further action should be clarified.	
	Revisions to T 309 will be presented to the Executive Board for approval and submittal to AASHTO.	SEAN PARKER
	T 119, Slump of Hydraulic Cement Concrete	
	Status of previous proposal	
119	WAQTC proposed revisions to this method in 2017. These revisions are included in the 2018 AASHTO Standards.	
	No new proposed revisions to the AASHTO method.	
	<i>T</i> 121; Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete	
	Status of previous proposal	
T 121	In 2018, WAQTC proposed that the vibrator requirements be revised to match <i>T 23-17; Making and Curing Concrete Test Specimens in the Field.</i> This revision was approved on concurrent ballot and is moving forward.	
	Revision discussion	
	See revision discussion for T 99 and T 180 for density variable proposal.	

Page 5		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	Sean pointed out that this test method is still in paragraph format and should be reformatted into a step method. Also, the committee has had discussions in the past concerning the cement content calculation, which does not account for other cementitious materials.	
	A task force was formed to revise the test method to address these issues. Misty Miner, MDT, Gilbert Arredondo, UDOT, and Sean volunteered to be members of the task force. Desna will assist as necessary. Sean will discuss the next step in the revision process with the task force members.	
	Action item	
T 121	The task force will develop a process and make assignments for revising the test method. Proposed revisions should be distributed before the 2020 Winter meeting.	
	Revision proposal	
	• Replace the variable $D$ with $\rho$ to represent density in calculations.	
	<i>Revisions to T 121 will be presented to the Executive Board for approval and submittal to AASHTO.</i>	MISTY MINER
	Task force will draft further revisions to present to the QAC by the 2020 Winter meeting	Gilbert Arredondo
		SEAN PARKER
	<i>T 152; Air Content of Freshly Mixed Concrete by the Pressure</i> <i>Method</i>	
	Status of previous proposal	
T 152	In 2018, WAQTC proposed that the vibrator requirements be revised to match <i>T 23-17; Making and Curing Concrete Test Specimens in the Field.</i> This revision was approved on concurrent ballot and is moving forward.	
	No new proposed revisions to the AASHTO method.	

Page 6		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	T 23; Making and Curing Concrete Test Specimens in the Field	
T 23	Status of previous proposal	
	In 2018, WAQTC proposed revisions to correct the tamping rod length in Table 1 and revise the Test Method (T) to a Practice (R). These revisions were approved on concurrent ballot and is moving forward.	
	No new proposed revisions to the AASHTO method.	
	<i>R</i> 39, Making and Curing Concrete Test Specimens in the Laboratory	
	Status of previous proposal	
R 39	In 2018, WAQTC proposed extensive revisions; adding steps for Self-consolidating Concrete (SCC), matching requirements in T 23, and further corrections to comply with AASHTO Style Manual. These revisions were approved on concurrent ballot and is moving forward.	
	No new proposed revisions to the AASHTO method.	
AGGREGATE TES	ST METHODS	
	AASHTO R 90, Sampling Aggregate Products	
	Status of previous proposal	
R 90	In 2016, WAQTC proposed a new 'A' practice, wholly owned by AASHTO, to replace the 'C' method owned by ASTM. This new practice has been published in the 2018 AASHTO Standards.	
	No new proposed revisions to the AASHTO method.	
R 76	R 76; Reducing Samples of Aggregate to Testing Size	
K /U	No proposed revisions to the AASHTO practice.	
1		

Page 7		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

Т 255	T 255, Total Evaporable Moisture Content for Aggregates	
1 233	No proposed revisions to the AASHTO method.	
	T 11; Materials Finer Than 75-μm (No. 200) Sieve in Mineral Aggregates by Washing	
	Status of previous proposal	
T 11	WAQTC proposed revisions to this method in 2015 to address the use of the automatic washer which was mentioned in a note. A task force was formed to consider the issue in depth. Garth Newman, formerly ITD and QAC Chair, was a member of the Task Force.	
	According to the AASHTO meeting minutes, the task force's recommendation was to be balloted on Rolling Ballot 3 but was not included. Sonya Puterbaugh, AASHTO re:source, said that there had been a recent turnover in the Technical Subcommittee (TS) Chair position. She volunteered to contact Casey Soneira, AASHTO, to determine what steps to take. Sonya was informed by Casey that Matthew Beeson, TS 1c Chair, has been made aware of the issue and will take care of it.	
	Discussion item, no further action necessary.	
	No new proposed revisions to the AASHTO method.	
	T 27; Sieve Analysis of Fine and Coarse Aggregates	
	Status of previous proposal	
T 27	In 2018, WAQTC proposed moving discussions of overloading sieves, shaker time, and sieving efficiency into Annexes. This proposal was balloted on Rolling Ballot 3 and there was one negative vote. The committee will wait to see if the TS 1c Chair will ask WAQTC to address the negative vote and the other comments.	
	No new proposed revisions to the AASHTO method.	

Page 8		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

Т 335	<i>T 335; Determining the Percentage of Fracture in Coarse</i> <i>Aggregate</i>	
	No proposed revisions to the AASHTO method.	
	<i>T 176; Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test</i>	
	Discussion item	
T 176	Kevin Burns, WSDOT, pointed out that in Section 4.1, Apparatus, the dimensions shown in the Figure 1 table do not agree with those shown in the diagrams. It was suggested that the WAQTC Executive Board inform the Test Method's Champion of the issue. Kevin indicated that he would provide a detailed list of the discrepancies.	
	David asked if there is a designated hierarchy for internal conflicts in AASHTO Standards. Sonya contacted a colleague and was told that there was nothing addressing this kind of conflict.	
	Action item	
	Kevin will supply a list of Figure 1 discrepancies. Sean will present it to the Executive Board with a recommendation to forward it to the Test Method's Champion and the TS 1a Chair.	
	Kevin Burns will provide a list of the discrepancies in Figure 1.	V. D
	Sean Parker will forward Figure 1 discrepancy list to the	KEVIN BURNS
	Executive Board.	SEAN PARKER
T 113	T 113; Lightweight Pieces in Aggregate	
	Status of previous proposal	
	WAQTC proposed revisions to this method in 2015. The revisions were balloted and there were some comments that needed to be addressed. Sean worked with the TS members and redrafted the proposal to address the comments. These revisions are included in the 2018 AASHTO Standards.	
	No new proposed revisions to the AASHTO method.	

Page 9		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

ASPHALT TEST METHODS			
	T 168; Sampling Bituminous Paving Mixtures		
	Status of previous proposal		
	WAQTC proposed a new 'A' practice, wholly owned by AASHTO, to replace the 'C' method owned by ASTM, in 2017. At the same time another practice was proposed with significant differences. A Task Force was created to resolve the differences and merge the two proposals. The new practice was balloted on Rolling Ballot 3 with no negative votes.		
	Action item		
T 168	Assuming that the new R XYZ will be published in 2019, Desna will start revising the training materials for approval at the July meeting. The committee reviewed the balloted practice and determined that the following sampling methods need to be added or updated in the training materials:		
	<ul> <li>Paver auger</li> <li>Windrow</li> <li>Plate without a cookie cutter</li> <li>Stockpile</li> </ul>		
	Desna will draft revisions to the training materials for review and revision before the July meeting.	Desna Bergold	
	No new proposed revisions to the AASHTO method.		
	R 47; Hot Mix Asphalt (HMA) to Testing Size		
	Status of previous proposal		
R 47	In 2018, WAQTC proposed revisions that include changing the term HMA to asphalt mixtures, maximum temperature for heating equipment, and adding heating of equipment in Sections 10.1 and 12.1. The revisions were balloted on Rolling Ballot 3 with no negative votes.		

Page 10		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	Action item	
R 47	Assuming that the revisions will be published in 2019, Desna will start revising the training materials for approval at the July meeting.	
	Desna will draft revisions to the training materials for review and revision before the July meeting.	DESNA
	No new proposed revisions to the AASHTO method.	BERGOLD
Т 329	T 329; Moisture Content of Hot Mix Asphalt (HMA) by Oven Method	
	No proposed revisions to the AASHTO method.	
Т 308	T 308; Determining the Asphalt Binder Content of Asphalt Mixtures by the Ignition Method	
	No proposed revisions to the AASHTO method.	
	T 209; Theoretical Maximum Specific Gravity ( $G_{mm}$ ) and Density of Hot Mix Asphalt (HMA)	
	Status of previous proposal	
T 209	WAQTC proposed extensive revisions to this method in 2014. A task force was formed to address comments and negative votes. The result was balloted concurrently on Rolling Ballot 3. There were no negative results.	
	Action item	
	Assuming that the revisions will be published in 2019, Desna will start revising the training materials for approval at the July meeting.	
	Desna will draft revisions to the training materials for review and revision before the July meeting.	Desna Bergold
	No new proposed revisions to the AASHTO method.	

Page 11		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	T 166; Bulk Specific Gravity ( $G_{mb}$ ) of Compacted Hot Mix Asphalt (HMA) Using Saturated Surface-Dry Specimens	
	Discussion item	
	Megan said that 15 seconds to remove the specimen from the water bath, surface dry, determine and record the mass is excessive. A significant amount of water could drain from the pores before the specimen is on the scale. She asked if the committee knew why 15 seconds is allowed.	
	Desna remembered that the time limit for drying the specimen was 5 seconds (2012) but that someone proposed the longer time frame to AASHTO. There were some comments and the results are the 15 seconds for the entire process.	
	Megan is considering researching the time frame for possible future revision proposal.	
T 166	Kevin suggested replacing <i>ASTM D7227/D7227M, Standard</i> <i>Practice for Rapid Drying of Compacted Asphalt Specimens</i> <i>Using Vacuum Drying Apparatus</i> with <i>AASHTO R 79, Vacuum</i> <i>Drying Compacted Asphalt Specimens</i> as an option to dry specimens. Desna indicated that the currently published AASHTO Standards refers to R 79. The most current version Kevin was able to obtain from IHS refers to D7227.	
	The committee reviewed the documents in the Web-based Publication and found that in T 166-16 the reference to the ASTM method was changed to the AASHTO method before the 2017 publication. The revisions were unmarked, and the revision date was unchanged.	
	Kevin will follow up with IHS.	
	Discussion items, no action necessary at this time.	
	No proposed revisions to the AASHTO method.	
R 66	R 66; Sampling Asphalt Materials	
	No proposed revisions to the AASHTO method.	

Page 12		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	T 30; Mechanical Analysis of Extracted Aggregate	
	Status of previous proposal	
Т 30	In 2018, WAQTC proposed moving discussions of overloading sieves, shaker time, and sieving efficiency into Annexes. This proposal was balloted on Rolling Ballot 3 and there was one negative vote. The committee will wait to see if the TS 2c Chair will ask WAQTC to address the negative vote and other comments.	
	Discussion item, no action necessary.	
	No new proposed revisions to the AASHTO method.	
T 312	Mixture Specimens by Means of the Superpave Gyratory Compactor	
	No proposed revisions to the AASHTO method.	
P 35	R 35; Superpave Volumetric Design for Asphalt Mixtures	
K 55	No proposed revisions to the AASHTO method.	
OTHER AASHTO	0	
	PP XX – Determining Constant Mass	
	Status of previous proposal	
Constant Mass	In 2017, WAQTC proposed a new standard to on determining constant mass. Many test methods and practices use the term without a definition or a discussion on how to achieve it.	
	The new standard was COMP balloted on Rolling Ballot 1 there were no negative votes but there were some comments. The committee will wait to see if the TS 5c Chair will ask WAQTC to address the comments.	
	Discussion item, no action necessary.	

Page 13		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

<i>R 18, Establishing and Implementing a Quality Management</i> <i>System for Construction Materials Testing Laboratories</i>	
Status of previous proposal	
WAQTC proposed revisions to this method in 2017. These revisions were published in 2018.	
Request for input	
Brian Johnson, AASHTO re:source, will be working on an update to this standard practice and asks that any suggestions or revision be sent to him at <u>bjohnson@aashtoresource.org</u> .	
Discussion item, no action necessary.	
R 25, Technician Training and Qualification Programs	
Status of previous proposal	
In 2015, WAQTC proposed revisions to R 25. The revisions included adding references to the Appendixes and corresponding references in the reference section, removing 'flexible' from Section 3.1, and adding 'subordinates' to the Section 7.2, <i>Examination Controls and Integrity</i> .	
These revisions were balloted in the Technical Section and approved. The full SOM ballot was held for anticipated revisions from FHWA. Those revisions were not balloted until 2018. The WAQTC revisions were not included. The committee would like to re-propose the 2015 revisions.	
Revision proposal	
<ul> <li>Add the following references in Section 2 and Appendixes         <ul> <li>R 47, Reducing Samples of Hot Mix Asphalt (HMA) to Testing Size</li> <li>R 75, Family of Curves</li> <li>T 30, Mechanical Analysis of Extracted Aggregate</li> <li>T 265, Laboratory Determination of Moisture Content of Soils</li> <li>T 272, One-Point Method for Determining</li> </ul> </li> </ul>	
	<ul> <li><i>R</i> 18, Establishing and Implementing a Quality Management System for Construction Materials Testing Laboratories</li> <li>Status of previous proposal</li> <li>WAQTC proposed revisions to this method in 2017. These revisions were published in 2018.</li> <li><u>Request for input</u></li> <li>Brian Johnson, AASHTO re:source, will be working on an update to this standard practice and asks that any suggestions or revision be sent to him at bjohnson@aashtoresource.org.</li> <li><i>Discussion item, no action necessary.</i></li> <li><i>R 25, Technician Training and Qualification Programs</i></li> <li>Status of previous proposal</li> <li>In 2015, WAQTC proposed revisions to R 25. The revisions included adding references to the Appendixes and corresponding references in the reference section, removing 'flexible' from Section 3.1, and adding 'subordinates' to the Section 7.2, <i>Examination Controls and Integrity.</i></li> <li>These revisions were balloted in the Technical Section and approved. The full SOM ballot was held for anticipated revisions from FHWA. Those revisions were not balloted until 2018. The WAQTC revisions were not included. The committee would like to re-propose the 2015 revisions.</li> <li>Revision proposal</li> <li>Add the following references in Section 2 and Appendixes — R 47, Reducing Samples of Hot Mix Asphalt (HMA) to Testing Size — R 75, Family of Curves — T 30, Mechanical Analysis of Extracted Aggregate — T 265, Laboratory Determination of Moisture Content of Soils — T 272, One-Point Method for Determining Maximum Dry Density and Optimum Moisture</li> </ul>

Page 14		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

R 25	<ul> <li>T 310, In-Place Density and Moisture Content of Soil and Soil-Aggregate by the Nuclear Methods (shallow Depth)</li> <li>T 335, Determining the Percentage of Fracture in Coarse Aggregate</li> <li>Remove the term 'flexible' from Section 3.1 bullet 2</li> <li>Add 'or immediate subordinate' in Section 7.2</li> <li>Revisions to R 25 will be presented to the Executive Board for approval and submittal to AASHTO.</li> </ul>	Sean Parker
R 89	R 89, Accreditation Bodies Operating in the Fields of Construction Materials Testing and Inspection         Discussion item         This is a new Standard Practice that describes the requirements for accreditation bodies that evaluate and accredit agencies that perform construction materials testing and inspection such as AASHTO re:source and CCRL.         Discussion item, no action necessary.	
T 344	<ul> <li>T 344, Evaluation of Superpave Gyratory Compactor (SGC) Internal Angle of Gyration Using Simulated Loading</li> <li><u>Action item follow up</u></li> <li>At the 2018 Winter meeting, Garth Newman asked for assistance in revising this method in accordance with the new <i>Process for</i> <i>Revision Proposals to AASHTO</i>. At that time Randy Mawdsley, WSDOT, contacted Kevin who agreed to assist Garth. As Garth is no longer a member of this committee and the new ITD representative was unable to attend, Kevin recommended tabling work on this method.</li> <li><i>Revision efforts on this test method are tabled. No action</i> <i>required.</i></li> </ul>	

Page 15		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	T 134, Moisture–Density Relations of Soil–Cement Mixtures	
T 134	Discussion item	
	Garth asked that revisions to this method be added to the agenda in early 2018. He felt that this method repeats much of T 99 and T 180 and could reference one of them, especially in listing the equipment.	
	Revisions to this proposal were proposed before WAQTC addressed them. Revision were balloted on Rolling Ballot 3, there was one negative with comments that appear to be easily addressed.	
	Discussion item, no action necessary.	
	T 283, Resistance of Compacted Asphalt Mixtures to Moisture	
T 283	Action item follow up	
	Desna was asked to draft revisions to this method addressing the paragraph formatting and the order of the process during the 2018 Summer meeting.	
	The committee reviewed Desna's revisions and recommended removal of Section 8, <i>Preparation of Field Mixed, Field</i> <i>Compacted Specimens (Cores)</i> , and a few adjustments to determining the specimen height and diameter.	
	The committee members then discussed how much more effort to put into addressing this method. Most member agencies do not use T 283 to determine moisture susceptibility, removing the method and replacing it with an agency method or <i>T 324</i> , <i>Hamburg Wheel-Track Testing of Compacted Asphalt Mixtures</i> when specifying <i>M 323</i> , <i>Superpave Volumetric Mix Design</i> .	
	Revising this method was originally suggested by, and assigned to, Garth. Sean decided that he would contact ITD and get input on the revisions so far and then determine further action. The committee doesn't want to lose the revisions drafted to this point.	

Page 16	
Topic Discussion / Decision	ACTION REQUIRED BY:

	Action item	
	Desna will incorporate the revision suggested by the committee and send to Sean. Sean will contact Mike Santi, ITD and a member of the Executive Board, for input on the proposed revisions. He will then determine if the proposal will be presented to the Executive Board this year.	
	Desna Bergold will revise the method based on committee comments.	Desna Bergold
	Sean Parker will follow up with ITD and determine whether the proposal will be submitted to the Executive Board for consideration this year.	SEAN PARKER
	T 88, Particle Size Analysis of Soils	
	Discussion item	
Т 88	While discussing the problems with Figure 1 in T 176, Megan mentioned that she had noticed similar issues with the apparatus section of T 88. She indicated that she had a list in her office.	
	It was decided to proceed as for T 176, the WAQTC Executive Board should inform the Test Method's Champion of the issue.	
	Action item	
	Megan will supply a list of apparatus discrepancies. Sean will present it to the Executive Board with a recommendation to forward it to the Test Method's Champion and the TS 1a Chair. <i>Megan Chatfield will provide a list of discrepancies in apparatus.</i>	Megan Chatfield
	Sean parker will forward apparatus list to the Executive Board.	Sean Parker
REVISION	Discussion item	
AT THE ANNUAL MEETING	During the AASHTO COMP Annual Meeting a revision proposal was presented in a TS break out session. Presenting revision proposals at the annual meeting is an option WAQTC has never	

Page 17		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	<ul> <li>explored. Providing the TS Chair agrees, a WAQTC representative may want to present revisions during the meeting.</li> <li>The committee agreed that this is be a good idea. Sean will ask the Executive Board to consider this option.</li> <li>Sean Parker will discuss presenting revision proposal during the TS breakout sessions with the Executive Board.</li> </ul>	Sean Parker
REVIEW OF AASHTO METHODS TO PRESENT TO THE BOARD	<ul> <li>Revisions to the following methods will be presented to the Executive Board during the 2019 Spring Meeting:</li> <li>R 25, Technician Training and Qualification Programs</li> <li>T 88, Particle Size Analysis of Soils</li> <li>T 99, Moisture-Density Relations of Soils Using a 2.5-kg (5.5-lb) Rammer and a 305-mm (12-in.) Drop T 121; Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete</li> <li>T 121; Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete</li> <li>T 176; Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test</li> <li>T 180, Moisture-Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop T 283, Resistance of Compacted Asphalt Mixtures to Moisture</li> <li>T 309; Temperature of Freshly Mixed Hydraulic Cement Concrete</li> <li>T 310; In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)</li> </ul>	
T 240	<ul> <li>T 240, Effect of Heat and Air on a Moving Film of Asphalt Binder (Rolling Thin-Film Oven Test)</li> <li><u>Request for input</u></li> <li>Lyndi Blackburn, TS Chair 2b, contacted Sean and asked if he would distribute a recent NCHRP report, <i>Project 20-07/Task 400:</i></li> </ul>	

Page 18		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	Effect of Elevation on Rolling Thin Film Oven Aging of Asphalt	
	<i>Binder</i> , to the WAOTC member agencies for comment.	
	Sean distributed the report and Desna is compiling the responses	
	for Sean to return to Lyndi. Lyndi would like feedback by the TS	
	2b mid-year meeting which has not been scheduled yet.	
	Sean suggested that any further comments be sent to Desna by	
	Feb. 28. If the meeting is to be held sooner, Desna will follow up	QAC
	with those who have not responded.	MEMBERS
	Provide feedback on the NCHPP report to Design by Ech 28th	Desna
	Trovide Jeedback on the WCIIKI report to Desha by Feb. 28.	Bergold
	Sean Parker will send responses to Lyndi Blackburn, TS 2b	
	Chair.	SEAN PARKER
WAOTC ISSUES		
WAQIC ISSUES		
	WAQTC Administration Manual	
	Christopher Russell, CDOT, sent an email to the committee	
	members asking how they dealt with various situations while	
	administering their qualification program.	
	Written Exams	
	CDOT has had technicians who do not speak English or speak	
	English as a second language register for the written exams and	
ADMIN.	fail. Chris asked if other agencies had experienced this and how	
MANUAL	it was resolved. Gilbert indicated they had a few instances where	
	reading the question to the individual helped them understand it	
	well enough to answer. Chris indicated that he had instructed	
	employers that if they supply the translator, CDO1 will supply a	
	separate testing opportunity.	
	The committee members agreed that this seems to a reasonable	
	accommodation.	
	Chris also indicated that they had some technicians with learning	
	disabilities who obviously knew the material but were unable to	
	pass the exams. CDOT had supplied these technicians with a	

Page 19		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

separate testing opportunity with no time limits and they were able to pass.	
Chris asked for other suggestions. The committee suggested that Chris consult his agency's guidelines for disability accommodations.	
Verification of Work Experience	
CDOT has had issues with technicians who are not prepared to certify even though CDOT requires at least two-months training and experience. These technician's often take the exams multiple times before passing, adding a burden on the program. Chris asked how other member agencies handle this situation.	
Some agencies spell out a minimum waiting period before a technician can take the course and examinations again. They also may require documentation of training hours and experience. Additional requirements must be included in an agency's <i>Registration, Policies, and Information Handbook</i> (RPIH). The RPIH is very similar to the <i>Administration Manual</i> but directed to the technician and should include agency specific information and requirements.	
Procedure to Revoke Certification	
During a recent FHWA audit CDOT was made aware that they do not have a system in place to revoke certifications when necessary. He asks what the other member agencies have done.	
The <i>Revocation, Suspension, or Denial of Certification</i> section of the <i>Administration Manual</i> is the basis of member agencies' policies and procedures concerning technicians who commit <i>negligence</i> or <i>abuse</i> . Sean offered to share information on ODOT's policies and their Agency Qualification Committee.	
Chris thanked the committee members for their assistance.	
Discussion item, no action necessary.	

Page 20		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

<b>O</b> PERATIONS MANUAL	<ul> <li>The Operations Manual has been a work in progress for many years. It is intended as a guideline and information for QAC and Executive Board members. The 'approved operations manual docs' are included in the annual training materials update.</li> <li>Operations Manual Contents: <ul> <li>Process for revision proposals to AASHTO Standards</li> <li>Roles and Responsibilities of QAC members</li> <li>Roles and Responsibilities of Board members</li> <li>TTQP Examiner Orientation</li> <li>TTQP Reciprocity Questionnaire</li> <li>WAQTC Events Calendar (Word)</li> <li>WAQTC Events Calendar (Excel Timeline)</li> <li>WAQTC Training Materials Update Process (Word)</li> <li>WAQTC Training Materials Update Process (Excel Timeline)</li> </ul> </li> <li>During the meeting Desna realized that the FOP Library Work Plan (attached) is not included in the Operations Manual. She will add it and other content as it is developed.</li> </ul>	Desna Bergold
TM 14	<ul> <li>WAQTC TM 14, Asphalt Mixture Laboratory Prepared Test Specimen</li> <li><u>Action item follow up</u></li> <li>The committee has been working on a new standard practice for preparing asphalt mixture test specimens in the laboratory for use by member agencies.</li> <li>The most recent version was reviewed to address comments from some of the agencies' asphalt labs. There is a lot of confusion over Note 2 which discusses aggregate batching and an optional method to employ. Sean and Kevin offered to work on the</li> </ul>	

Page 21		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	aggregate batching section and move it and the examples to an Appendix. Sean Parker and Kevin Burns will draft revisions to the aggregate batching discussion and example. Draft to be ready for review May 28 <sup>th</sup> .	SEAN PARKER Kevin Burns
AASHTO Copyright	Action item follow up While developing a Self-consolidating Concrete (SCC) qualification module workplan, the committee grew concerned with infringing on the AASHTO copyright. The methods that WAQTC would use to create training materials are in a step by step concise format. WAQTC's training materials would look very similar, if not identical in some places. The Executive Board discussed the issue with AASHTO at the annual meeting. AASHTO representatives determined that the current WAQTC training materials do not infringe AASHTO's copyright. AASHTO was asked to provide a letter giving permission to use the AASHTO SCC methods to develop the qualification module. Permission was granted. Sean shared the letter with the committee. <i>Discussion item, no action necessary.</i>	
SCC Module	<ul> <li>Self-consolidating Concrete (SCC) Qualification Module</li> <li>With the copyright issue resolved, work on the SCC qualification module can begin. The committee reviewed the workplan developed over the last several meetings.</li> <li>The following test methods will be included in the SCC qualification module:</li> <li>T 347, Slump Flow of Self-Consolidating Concrete (SCC)</li> <li>T 351, Visual Stability Index (VSI) of Self-Consolidating Concrete (SCC)</li> <li>T 345, Passing Ability of Self-Consolidating Concrete (SCC) by J-Ring</li> </ul>	

Page 22		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	These methods were selected by polling the member agencies.	
	The next step is to develop FOP short forms from the AASHTO test methods. Sean pointed out that while drafting the short forms it would be good to start developing Review Questions, Performance Exam Checklists, and written exam questions.	
	Action item	
	Misty volunteered to draft materials for T 351, Dan Gettman, AKDOT, will draft materials for T 347, and Gilbert will draft materials for T 345. The draft materials will be sent to Desna by April 15 <sup>th</sup> .	
	Desna volunteered to begin drafting SCC Basics and the review of the Concrete module. She will also create the PowerPoint Master slides.	
	All members were asked to begin collecting pictures and any other content that would be helpful.	Misty Miner Dan
	Misty Miner, Dan Gettman, and Gilbert Arredondo will have FOP short form drafts for T 351, T 347, and T 345 respectively to Desna by April 15 <sup>th</sup> .	Gettman Gilbert Arredondo
	Misty, Dan, and Gilbert will begin drafting Review Questions, Performance Exam Checklist, and written exam questions	Desna Bergold
	Desna Bergold will draft SCC Basics and Concrete review. All committee members are asked to begin collecting pictures for PowerPoint and Student FOP.	QAC Members
	<i>TP 118, Characterization of the Air-Void System of Freshly</i> <i>Mixed Concrete by the Sequential Pressure Method</i>	
TP 118	At the 2018 Summer meeting Dan asked if the committee would be interested in developing training on the Super Air-Meter. The discussion was tabled until the Winter meeting.	
	Currently none of the member agencies specify system air metric (SAM) values from this procedure for mix designing or field acceptance. Dan informed the committee that AkDOT will be	

Page 23		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	<ul> <li>specifying SAM values for some mixes during the upcoming construction season and will be using this procedure.</li> <li>Megan said that the FHWA mobile concrete trailer demonstrates this method and if anyone is interested, they have research and white papers she could provide.</li> <li>The committee was uncertain about developing an FOP for a method most states are not using. Dan volunteered to provide an FOP for the FOP library, possibly by the Summer meeting.</li> <li>Dan Gettman will Champion an FOP for T 118 for the FOP Library.</li> </ul>	Dan Gettman
Archiving historical documents	<ul> <li><u>Action item follow up</u></li> <li>The QAC has been working on archiving the documents and media that Garth had been keeping.</li> <li>Garth sent the paper files to Western Federal Lands and Megan had them scanned and sent to Sean along with a jump drive. Garth sent Desna the CDs of past training materials and the introductory video on VHS. Desna loaded the CDs onto a jump drive for Sean and a Dropbox folder.</li> <li>Sean and Desna do not know what to do with the original files and CDs. This will need to be determined in the future.</li> <li><i>Discussion item, no action necessary.</i></li> </ul>	
Exams and ASTM requirements	Action Item follow up During the 2018 Winter Meeting, Sonya asked if WAQTC considers the minimum requirements for exams outlined in <i>ASTM</i> D3740, Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction; D3666, Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials; and E329, Agencies Engaged in Construction Inspection, Testing, or Special Inspection.	

Page 24		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	Desna reviewed the standards and developed a list of the requirements in these specifications for the committee's review. Discussion item Sonya told the committee that there have been some laboratories seeking ASTM D3740 accreditation with WAQTC certifications. AASHTO re:source cannot accept WAQTC certification because re:source has not been able to confirm that the written exams meet the requirements in ASTM D3740. Section 7.5 requires written exams to include questions on 'significance of the test or inspection method, sampling, specimen preparation, procedure, and reporting results.' The committee discussed the benefits of establishing compliance with D3740. It would be helpful to laboratories in member states. The committee decided to ask the Executive Board if the WAQTC Embankment and Base written exams could be reviewed by Sonya or someone else at AASHTO re:source to verify compliance. WAQTC may also decide to adjust some questions to improve their exams for compliance. It was suggested that if the Executive Board agrees to share the written exams with AASHTO re:source, WAQTC should request a signed confidentiality agreement. Sean Parker will discuss sharing the Embankment and Base written exams with AASHTO re:source with the Executive Board.	Sean Parker
Humphres Method	<ul> <li>WAQTC TM 15, Laboratory Maximum Density of Granular Soils and Soils Aggregates</li> <li>Action item follow up</li> <li>Randy Mawdsley, WSDOT, drafted a new Test Method based on WSDOT TM 606 and WFL's Humphres Method. Desna reformatted and cleaned it up. The committee reviewed the draft.</li> <li>The committee worked on the new TM 15 during the meeting to ensure that the various methods used by ITD, AKDOT, WSDOT, and WFL, are covered.</li> </ul>	David Mariman Megan Chatfield

Page 25		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	<ul> <li>There is still considerable work to do on the apparatus and the calculation sections.</li> <li><u>Action item</u></li> <li>A subcommittee was formed of David and Megan for WFL, Kevin and Randy for WSDOT, and Dan for AKDOT. Desna will support and facilitate the subcommittee. Sean would like to be copied on the subcommittee's correspondence.</li> <li><i>The TM 15 subcommittee, David Mariman, Megan Chatfield, Kevin Burns, Randy Mawdsley, and Dan Gettman will draft the apparatus and calculations sections.</i></li> </ul>	KEVIN BURNS RANDY MAWDSLEY DAN GETTMAN DESNA BERGOLD
REPORT FROM Executive Board Meetings	Sean lead a brief discussion of the August Board meeting agenda items. Discussion item, no action necessary.	
AASHTO COMP TS Friend	<ul> <li><u>Action item follow up</u></li> <li>Desna was asked to find out how someone can become a friend of the AASTHO Technical Subcommittees.</li> <li>Contact Casey Soneira, AASHTO, at <u>csoneira@aashto.org</u> and request to become a friend.</li> <li>The subcommittees with WAQTC related test methods are: <ul> <li>1a – Soil and Unbound Recycled Materials</li> <li>1b – Geotechnical Exploration, Instrumentation, Stabilization and Field Testing</li> <li>1c – Aggregates</li> <li>2c – Asphalt-Aggregate Mixtures</li> <li>3b – Fresh Concrete</li> </ul> </li> </ul>	

Page 26		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	All Technical Subcommittees are listed at <u>AASHTO Technical</u> <u>Subcommittees</u> , the headings link to a list of test methods in the subcommittee.	QAC Members
	Anyone who wishes to become friends of an AASHTO TS will send a list of the subcommittees to Casey Soneira and request to become a friend.	
	Discussion item	
Brochure	The WAQTC Brochure includes quotes from Garth and Scott Andrus, UDOT, neither of which is working with WAQTC anymore. Desna asked if the group wanted to consider replacing the quotes. Sean said the Executive Board would need to decide but that he would be in favor of replacing them.	
	The committee thought that statements from AASHTO TS Chairs and representatives from private firms may be useful. It was also recommended that the brochure briefly list WAQTC's accomplishments such as revisions to existing AASHTO standards and new standards adopted by AASHTO.	
	Misty suggested that the Executive Board be asked to inquire about including the WAQTC brochure in the AASHTO Annual Meeting agenda packet.	
	Misty also suggested that the QAC members that attend the AASHTO Annual meeting have WAQTC business cards to distribute. Desna volunteered to put together a template layout if someone wanted to print a few cards. She may be able to print a few before the meeting if need be.	
	The Executive Board will be asked how they would like the brochure to be revised and to provide guidance on how to proceed.	Sean Parker
OTHER	Action item follow up	
PRESENTATION PLATFORMS	During the 2018 Summer meeting Desna and Misty were asked to explore other presentation platforms. They provided a list of programs with a brief summary. The major benefits of these platforms are ease in creating presentations and collaborating on	

Page 27		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	<ul> <li>presentation content. Not of much benefit to WAQTC training materials.</li> <li>Gilbert shared one of the training videos that UDOT is developing. UDOT has built themselves a studio and are working on with commentary for the video.</li> <li>The committee was very impressed with the quality of the video. Gilbert said he will keep the committee updated on their progress.</li> <li><i>Gilbert Arredondo will update the QAC on training video</i></li> </ul>	GILBERT
	progress.	ARREDONDO
PowerPoint and Figures	Training Materials Graphics review Desna asked Vicki Sims, D B Consulting and Avalon Graphics, to briefly review the Concrete methods and make recommendations. She said she could quickly clean up the 'five- minute time limit' and the 'concrete components' graphics. Desna suggested that she could ask Vicki to review the rest of the training materials. The committee agreed.	
	Action item follow up Sean asked that committee members and their trainers review the PowerPoint presentations for recommendations for improvement at the 2018 Summer meeting.	
	Desna has kept a list of the recommendations and will have the corrections drafted by the 2019 Summer meeting.	
	Vicki Sims will review training materials for possible improvements to the graphics. She will also draft requested corrections.	VICKI SIMS (D B Consulting)
Flat and Elongated TM	<i>Flat and Elongated Test Method</i> Many agencies are using agency specific test methods based on the ASTM method. The committee would like to develop a test method for the FOP library so that member agencies may use the same procedure.	

Page 28		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	Sean volunteered to draft an FOP based on the ODOT method and send it for review. Sean Parker will draft a test method for determining flat and elongated particles in coarse aggregate for review.	Sean Parker
LABORATORY TEST METHODS	Discussion itemDuring the 2018 Summer meeting, Desna asked if WAQTC was interested in branching out into laboratory qualifications. Many agencies rely on private laboratories to perform mix designs, both asphalt mixture and concrete. She suggested that SuperPave consensus properties be addressed. Sean agreed and thought that training and qualifications on AASHTO T 84, Specific Gravity and Absorption of Fine Aggregate would be useful for all agencies. Kevin is interested in an FOP for AASHTO T 304, Uncompacted Void Content of Fine Aggregate.Sean thought that these test methods may be good to consider for the FOP library.The committee would be interested in the Executive Board's thoughts on the methods for the library and a Laboratory Qualification Module.Discuss laboratory related FOPs for the FOP library and a Laboratory Qualification Module as a long-term goal.	Sean Parker
2018 Planned Work	Discussion itemThe committee discussed the 2018 Planned Work in the WAQTCStrategic Plan, most of them are ongoing efforts or accomplisheditems. The committee would like the Executive Board to discussQAC short term goals or work items at the Spring meeting.Discuss QAC short-term goals and work items with the ExecutiveBoard.	Sean Parker
TM 13	<ul> <li>WAQTC TM 13; Volumetric Properties of Hot Mix Asphalt (HMA)</li> <li>Desna asked if the committee would approve the change from HMA to Asphalt Mixtures in TM 13 as most AASHTO</li> </ul>	

Page 29		
Торіс	Discussion / Decision	ACTION REQUIRED BY:

	<ul><li>Standards, and therefore WAQTC training materials, have made this modification. The committee agreed.</li><li>Desna Bergold will draft revisions to TM 13 for the 2019 Summer meeting.</li></ul>	Desna Bergold
Executive Board Spring Meeting	The Executive Board Spring meeting is scheduled to be held April 17 <sup>th</sup> and 18 <sup>th</sup> in Lincoln Nebraska.	
AASHTO COMP Annual Meeting	The QAC Chair and Vice Chair are invited to attend the AASHTO COMP Annual meeting. Gilbert volunteered to be an alternate in case either won't be able to attend.	
OTHER ITEMS	Discussion itemSean indicated that ODOT's aggregate section had some issues with T 21 Organic Impurities in Fine Aggregates for Concrete. They felt that Section 10, Interpretation of Results, is confusing. It states than when the supernatant liquid is darker than the standard organic plate No. 3 or the standard solution further testing shall be made. They felt that the method should indicate what those further tests should be or some other guidance. This method is unusual as test methods do not usually state a pass or fail threshold. David pointed out that Section 3, Significance and Use, advises to perform T 71, Effect of Organic Impurities in Fine Aggregate on Strength of Mortar and references M 6, Fine Aggregate for Hydraulic Cement Concrete.Discussion item, no action necessary.	

### Self-consolidating Concrete Module Development Work Plan

Test Methods:

T 347, Slump Flow of Self-Consolidating Concrete (SCC)

T 351, Visual Stability Index (VSI) of Self-Consolidating Concrete (SCC)

T 345, Passing Ability of Self-Consolidating Concrete (SCC) by J-Ring

- 1. Develop Short Form FOPs from AASHTO procedures (discussed at 2018 Winter meeting, recommended to have all the training modules formatted the same)
- 2. Develop Student FOPs from AASHTO procedures
  - a. Draft Significance section for Student
- 3. Request pictures for Student Manual and PowerPoint from member agencies
- 4. Draft:
  - a. Change to Foreword
  - b. Basics of SCC
  - c. Review of CTT
  - d. FOP Review questions
  - e. Performance exams
  - f. Written exam questions
  - g. Table of contents
  - h. Appendix
- 5. Develop PowerPoint presentations
- 6. Incorporate into Administration Manual and RPIH when approved

## WAQTC Field Operating Procedure Library Work Plan

The majority of this effort will be outside the established committee 'in person' semi-annual meetings.

- 1. An agency or agencies (champion(s)) wants to propose a method
  - a. The draft must be created around an AASHTO procedure
  - b. The procedure must be consistent with mission of this group
- 2. Initial submittal: draft short form is sent to the QAC with adequate time for review and balloting prior to an established meeting
  - a. QAC members will provide feedback and comments to the champion(s)
  - b. All corrections and responses to feedback will be made.
  - c. Corrected procedure will be 'balloted' at least one month before the meeting
  - d. Vote yes, no, or abstain
    - i. A no vote requires an explanation.
    - ii. Abstention is appropriate if QAC representative's agency is not intending to use the FOP.
- 3. FOP meeting ballot response and final disposition
  - a. All no votes are discussed and found to be 'persuasive' or 'non-persuasive.'
  - b. Final editing of approved document directed by the QAC chair.
- 4. The QAC determines whether the test method is included in the library
  - a. Final editing of approved document directed by the QAC chair.
- 5. The champion(s) develop and submit further optional materials:
  - a. Student manual
  - b. Performance checklist
  - c. PowerPoint
  - d. Written exam questions (not posted)
  - e. Any optional materials are developed after the short form is accepted by a new developer (s) all the developers become co-champions
- 6. Maintenance of the FOP Champion(s) are responsible:
  - a. Tracking AASHTO changes (annually)
  - b. Update FOP to remain consistent with AASHTO
  - c. Committee review of updates
- 7. When a FOP champion departs from the QAC
  - a. The champion's replacement decides whether to assume these duties
  - b. If this individual will not assume the duties for the FOP
    - i. Open the position to volunteers
      - 1. Co-champions
      - 2. Other stakeholders
  - c. If no champion is assigned the FOP is 'discontinued'



#### d. Removed from library after three years

Proposed disclaimer on the web page: These Field Operating Procedures are to be used for training purposes only unless specifically identified in a contract document.